




CAMA HANDI-LIFT  
EA7 - THE LIFT FOR  
STRAIGHT STAIRS

LIFTS THAT MAKE A CHANGE

**CAMA**


# Customized for your home



## Specifications:

Load:	225 kg. or 300 kg.
Travel:	From 20 to 45 degrees slope.
Speed:	0,11 m/s
Driving motor:	550 w 3 ph.
Platform motor:	24 V
Barrier-arm motor:	24 V
Electric supply:	1 phase 230 V, 10 A.
Driving mechanism:	Rack with overspeed governor.
Construction:	Steel- and aluminum rails on the wall or on columns.

The lift is reversible so it can be built to the right or left side, which gives it a higher recycling value.



## Dimensions:

Rail width:	68 mm.
Width folded up:	290 mm.
Width folded out:	1050 mm.
Platform standard size:	1000 x 800 mm.
Platform height:	45 mm.
Other platform sizes:	1000 x 750 mm 1000 x 700 mm 1200 x 800 mm 1300 x 800 mm

## Safety details:

- Overspeed governor and brake.
- Limit switch
- Weight sensor
- Manual emergency raising of bars and platform
- Manual release mechanism
- Pressure sensitive surfaces that stops the lift when it runs into an obstacle.

## HANDI-LIFT TYPE EA7

The HANDI-LIFT is designed for straight staircases and is build individually with regard to the width and length of the staircase. Normally the lift can be installed without considerable rebuilding costs.

The HANDI-LIFT is provided with barrier arms and sensitive flaps on the front and rear edge of the platform. The barriers, flaps and platform are folded electrically, whereby the lift takes up minimal space on the stair when "parked".

The HANDI-LIFT is built in accordance with the latest European standards and is delivered CE-marked. The lift is equipped with Soft start and brake, which ensures a smooth and pleasant drive.

The HANDI-LIFT can be delivered with batteries, which ensures operation during power cuts.


## HANDI-LIFT TYPE EA7 H/S

HANDI-LIFT EA7 height adjustable is a further development of the HANDI-LIFT EA7, which is ideal when the space at the end of the stair case is minimal.

The lift can be parked close to the bottom step.

The drive is begun with a vertical raise until the lift is free from the stairs. It then drives its course and is then lowered vertically once it has reached the top of the stairs.

The height adjustable lift can be delivered with the same equipment as the traditional lift.



Can be certified according to EN 81-40.  
Cama ApS is ISO 9001 certified.

## Remotes



Handheld remote control



Mounted remote for installation in column or masonry.



Mounted control box for mounting on column or wall.





CAMA is Denmark's largest and oldest manufacturer and supplier of stairlifts for disabled people.

CAMA highly appreciates quality and design. We make great efforts to accommodate stair lifts to the surroundings they have been purchased for.

## More products from CAMA Lift

---



Platform Lift



Platform Lift - Curved

---

# CAMA

CAMA Lift APS - Ellehammervej 6 - DK - 9900 Frederikshavn  
Tlf.: +45 9843 0122 - E-mail: [cama@cama.dk](mailto:cama@cama.dk) - [www.camalift.com](http://www.camalift.com)